



# PREMISES MANAGEMENT POLICY

Document Status			
<b>Date of Next Review</b>	March 25	<b>Responsibility</b>	Governing Body Head Teacher All staff
<b>Success Criteria for review completion</b>			
<b>Date of Policy Creation</b>	March 2021		
<b>Date of Policy Adoption by Governing Body</b>		Signed <u> M LUMLEY</u> Chair Of Governing Body	
March 2023			
<b>Method of Communication (e.g Website, Noticeboard, etc)</b>		Signed <u> A BLACKWOOD</u> Head Teacher	
Website			

## Contents

1. Aims .....2

2. Guidance .....	2
3. Roles and responsibilities.....	2
4. Inspection and testing.....	3
5. Risk assessments and other checks .....	5
6. Monitoring arrangements.....	6
7. Links with other policies.....	6

---

## 1. Aims

The Department for Education’s (DfE’s) guidance on statutory policies for schools includes ‘premises management documents’. It says that many aspects of school premises require safe management and maintenance, including asbestos, fire safety and statutory testing.

Our school aims to ensure that it:

- Manages its buildings and equipment in an efficient, legally compliant way
- Inspects and tests buildings and equipment regularly, taking into account statutory requirements and best practice recommendations
- Promotes the safety and wellbeing of our staff, pupils, parents and visitors through effective maintenance of buildings and equipment in accordance with the [Health and Safety at Work etc. Act 1974](#)
- Complies with the requirements of the [School Premises \(England\) Regulations 2012](#)
- Complies with the requirements of the [statutory framework for the EYFS](#)

## 2. Guidance

This document is based on the Department for Education’s guidance on [good estate management for schools](#).

## 3. Roles and responsibilities

---

The governing board, headteacher and caretaker will ensure this premises management policy is properly implemented, and that tests and inspections are carried out in accordance with this policy.

The headteacher and caretaker are responsible for ensuring relevant risk assessments are conducted and for reporting to the governing board, as required.

The caretaker is responsible for:

- Inspecting and maintaining the school premises
- Conducting repairs and maintenance
- Being the first point of contact for any issues with the premises
- Conducting and keeping a record of risk assessments and incident logs related to the school premises
- Liaising with the headteacher about what actions need to be taken to keep the school premises safe

## 4. Inspection and testing

We maintain accurate records and details of all statutory tests which are undertaken at our premises. This includes relevant paperwork and certificates.

All requirements and recommendations highlighted in inspection reports and certificates are reviewed and acted on as necessary.

As part of the records of completed works, we include the dates when the works were undertaken and the details of the individual or company who completed them, along with their qualifications/certifications and/or experience.

The table below sets out the issues we inspect, the inspection frequency, and the person responsible for checking each issue and, where appropriate, engaging a suitably qualified person to carry out inspection, testing or maintenance. It covers statutory checks as well as recommended good practice checks from relevant guidance. It is based on the [checks and testing sections of the DfE estates guidance](#).

ISSUE TO INSPECT	FREQUENCY	PERSON RESPONSIBLE
Portable appliance testing (PAT)	We will refer to <a href="#">HSE guidance</a> on maintaining portable electric equipment for suggested intervals and types of testing/inspection.	NYCC
Emergency lighting	6-monthly condition test (including 3-hour battery test) by a competent person.	NYCC – Monks Security
Fuel oil storage	Checks at least weekly, with more detailed annual inspections by qualified inspectors.	Caretaker checks oil gauge weekly
Legionella checks on all water systems	Risk assessment of each site carried out and reviewed regularly by a competent person. The frequency of monitoring checks varies for evaporative cooling systems, hot and cold water systems and other risk systems – specific details can be found in <a href="#">guidance for each type from the HSE</a> .	Caretaker

ISSUE TO INSPECT	FREQUENCY	PERSON RESPONSIBLE
Asbestos	<p>Regular inspections as part of the asbestos register and management plan.</p> <p>Reviews of the asbestos register annually.</p> <p>Refurbishment and demolition surveys before any refurbishment or demolition work.</p>	<p>Caretaker</p> <p>NYCC - Property Maintenance Surveyor</p>
Equipment used for working at height	<p>Inspected before use, and at suitable intervals appropriate to the environment it's used in and how it's used.</p> <p>In addition, inspections after anything that may affect the safety or stability of equipment, e.g. adverse weather or accidental damage.</p>	<p>Individual staff using to do dynamic risk assessment.</p> <p>Caretaker – to check equipment used more thoroughly as and when required for use.</p>
Fire detection and alarm systems	<p>Weekly alarm tests, with a different call point tested each week where applicable.</p> <p>Quarterly and annual inspections and tests by a competent person.</p> <p>Annual fire risk assessment by a competent person also includes the maintenance of fire detection and alarm systems.</p>	<p>Caretaker</p> <p>Monks Security</p> <p>Janet Morris – NYCC H&amp;S</p>
Fire doors	<p>Regular checks by a competent person.</p>	<p>Caretaker</p> <p>Janet Morris – NYCC H&amp;S</p>
Firefighting equipment	<p>Most equipment – extinguishers, fire blankets, hose reels, fixed systems (such as sprinkler systems) and fire service facilities (such as dry risers and access for emergency vehicles) – inspected annually (by a competent person where required) unless manufacturers' guidelines suggest differently.</p>	<p>NYCC - Macdonald Martin Ltd</p>
Extraction systems	<p>Regular removal and cleaning of grease filters and cleaning of ductwork for kitchen extraction systems.</p> <p>More routine checks also set out in system logbooks.</p>	<p>NYCC - HCS</p>

ISSUE TO INSPECT	FREQUENCY	PERSON RESPONSIBLE
Chemical storage	Inventories are kept up-to-date. Risk assessments for the Control of Substances Hazardous to Health (COSHH) are reviewed on a regular basis, plus whenever it's considered that the original assessment may no longer be valid, or where the circumstances of the work change significantly and may affect employees' exposure to a hazardous substance (in line with <a href="#">HSE guidance on COSHH assessment</a> ).	Caretaker
Playground and gymnasium equipment	Regular inspections – at least annually, and more regularly where any equipment is used more frequently than normal (e.g. where community use increases how often equipment is used). Outdoor fixed play equipment – periodic and annual inspections by a competent person.	Individual staff to do dynamic risk assessment before pupil use  Caretaker  Continental Sports Ltd
Tree safety	As part of risk assessment responsibilities, annual visual checks for stability are carried out, with more detailed assessments if suspected structural faults or other risks are found.	Caretaker

## 5. Risk assessments and other checks

Please refer to our risk assessment policy for information about the school's approach to risk assessment.

In addition to the risk assessments we are required to have in place (please refer to our risk assessment policy and health and safety policy for more information), we ensure we have risk assessments in place, regularly updated, to cover 'Car parking and vehicle/pedestrian segregation'.

We also make sure further checks are made to confirm the following:

- Correct and up-to-date information is displayed in all notices
- Compliance with the Construction (Design and Management) Regulations 2015 during construction projects
- Contractors have the necessary qualifications to carry out the specified work
- Compliance with the Equality Act 2010 when making changes or alterations to a building or the external environment

## 6. Monitoring arrangements

The application of this policy is monitored by the caretaker and headteacher through, among other things, visual checks of the school site and equipment, and checks of risk assessments.

Copies of risk assessments and paperwork relating to any checks are kept in the school office.

This policy will be reviewed by the Headteacher every 2 years. At every review, the policy will be shared with and approved by the full Governing Body.

## 7. Links with other policies

This premises management policy is linked to:

- Health and safety policy
- Risk assessment policy